



DETAIL C
SCALE: 3/8" = 1'-0"

- NOTES:
1. SEE DETAIL B FOR ADD'L. INFORMATION.
 2. DETAIL C: STA. 0+00 TO STA. 1+88.66' ONLY.
 3. USE EXISTING CONCRETE SHOWN ABOVE AS BACKFILL ALONG EXISTING WALL PRIOR TO INSTALLING TIE BACK ANCHORS.




- NOTES:
1. SEE "TYPICAL FLOOD WALL TIE BACK WALL DETAIL" AND NEW RETAINING WALL SECTIONS FOR ADDITIONAL INFORMATION
 2. COPING CONCRETE SHALL BE PLACED IN ALTERNATE 32'-0" LONG SECTIONS AND SHALL HAVE CURING PERIOD OF NOT LESS THAN 3 DAYS BETWEEN PLACEMENT OF ALTERNATE SECTIONS.
 3. ENDS (CONSTRUCTION JOINTS) OF 32'-0" SECTIONS SHALL BE LOCATED OVER EXISTING CONSTRUCTION JOINTS & EXP. JOINTS IN FLOOD WALL.

DETAIL D
SCALE: 1/2" = 1'-0"


TYPICAL FLOOD WALL TIE BACK WALL DETAIL
SCALE: 1/2" = 1'-0"

- NOTE:
- TORQUE ALL #9 TIE BACK RODS TO 20 FT.-POUNDS.
 - TORQUE ALL #14 THRU WALL RODS TO 100 FT.-POUNDS.

NO.	DATE	BY	REVISION DESCRIPTION



TOWN OF GREENFIELD
11-17 Meridian Street, Greenfield, MA
Sheet 5 of 8 Sheets
JDB Consulting Engineers
835 Samsot Rd., Eastham, MA 02642



Structural Wall Betterments
Green River / Former Site
Greenfield Tap & Die Corp.

